List of Contents

NUMBER 1

Su Bine and **Cui Zhen-Yuan**	1	The fracture initiation criterion of mixed-mode surface crack
J. S. Short, D. W. Hoeppner and **D. C. Wu**	15	The maximal dissipation rate criterion—II: Analysis of fatigue crack propagation in FCC single crystals
E. N. Theotokoglou, G. J. Tsamasphyros and **C. P. Spyropoulos**	31	Photoelastic study of a crack approaching the bonded half-plates interface
J. C. Fish and **Sung W. Lee**	43	Delamination of tapered composite structures
Wu Xuefeng and **Li Xinming**	55	Analysis and modification of fracture criteria for mixed-mode crack
T. M. Maccagno and **J. F. Knott**	65	The fracture behaviour of PMMA in mixed modes I and II
G. J. Dvorak, Y. A. Bahei-El-Din and **L. C. Bank**	87	Fracture of fibrous metal matrix composites—I. Experimental results
Y. A. Bahei-El-Din, G. J. Dvorak and **Jer-Fang Wu**	105	Fracture of fibrous metal matrix composites—II. Modeling and numerical analysis
V. A. Vainshtok and **I. V. Varfolomeyev**	125	Stress intensity factor equations for part-elliptical cracks and their verification
B. Strnadel, E. Mazancová and **K. Mazanec**	137	Statistical model of cleavage crack propagation in spheroidized steels
E. E. Gdoutos and **G. Papakaliatakis**	143	Dependence of crack growth initiation on the form of the stress–strain diagram of the material in tension
A. Tsurui, J. Nienstedt, G. I. Schuëller and **H. Tanaka**	153	Time variant structural reliability analysis using diffusive crack growth models
J. Joch and **S. Pták**	169	On stress intensity factor computation by finite element method under mixed-mode loading conditions
R. Yuuki and **S.-B. Cho**	179	Efficient boundary element analysis of stress intensity factors for interface cracks in dissimilar materials
H. Tanaka	189	Stochastic properties of semi-elliptical surface crack propagation based upon Newman–Raju's K-expression
Zhou Yong	201	A new method for solving the circular crack problems under arbitrary normal loading

J. Wang and **C. L. Chow**	209	Hysteretic effects of damage and stress on ductile fracture characterization
B. H. Kim and **C. R. Joe**	221	On the resistance to crack initiation and growth
C. R. Pratap and **R. K. Pandey**	233	Studies of constraint factors in *K*–CTOD and *K*–*R* relationships: effect of specimen, loading geometry and material
Bai Jia-Min	245	Stiffness reduction analysis of cracked cross-ply laminates by using integral equation approach
M. S. Dadkhah and **A. S. Kobayashi**	253	HRR field of a moving crack, an experimental analysis
X. S. Zhang and **Y. Zhang**	263	The general solution to an orthotropic infinite plate with a bent crack under an arbitrary anti-plane shear stress
	I	Software Survey Section

NUMBER 2

X. S. Zhang and **Liang Ban**	269	A central crack of mode III in a nonhomogeneous rectangular sheet with shear modulus varying in the *X*-direction
X. S. Zhang	275	The new general solutions of an infinite plate weakened by a circular-arc crack of mode I, II and III
F. Rezai-Aria and **L. Remy**	283	An oxidation fatigue interaction damage model for thermal fatigue crack growth
A. Hosseini, F. A. Cozzarelli and **R. J. Gu**	295	Rupture analysis of a nonlinear viscous tube under creep–fatigue interactive environments
W. C. Kim and **C. K. H. Dharan**	305	A fracture control plan for composite structures
J. M. Bastero, C. Atkinson and **J. M. Martínez-Esnaola**	325	Use of path-independent integral *A* for mixed-mode fast crack propagation in uncoupled thermoelastic media
E. E. Gdoutos, D. A. Zacharopoulos and **E. I. Meletis**	337	Mixed-mode crack growth in anisotropic media
P. W. Tan and **C. A. Bigelow**	347	An improved Boundary Force Method for analysing cracked anisotropic materials
G. Tsamasphyros	359	Mixed mode crack analysis using complex path-independent integrals
A. Kumar and **H. Parhi**	369	Edge crack in an orthotropic strip
Y. K. Cheung and **Y. Z. Chen**	379	Multiple rigid line problems in an infinite plate

R. G. Chermahini, K. N. Shivakumar, J. C. Newman, Jr and **A. F. Blom**	393	Three-dimensional aspects of plasticity-induced fatigue crack closure
R. Kumar and **S. B. L. Garg**	403	Effect of yield strength and single tensile overload cycles on effective stress intensity range ratio in 6061-T6 Al-alloy
Sun Jun, Deng Zengjie, Li Zhonghua and **Tu Mingjing**	413	Constraint intensity in crack tip field and elastic–plastic fracture criterion
J. Tang and **B. F. Spencer, Jr**	419	Reliability solution for the stochastic fatigue crack growth problem
Li Changchun, Qian Zhixiong and **Li Guangxia**	435	The fatigue damage criterion and evolution equation containing material microparameters
J. Zuidema and **M. Mannesse**	445	A model for predicting slant fatigue crack growth in Al 2024
P. K. Liaw and **V. P. Swaminathan**	457	Elevated-temperature fatigue crack growth behavior of a rotor steel
R. Sethuraman and **S. K. Maiti**	465	Finite element analysis of doubly bonded crack-stiffened panels under mode I or mode II loading
K. Sobczyk and **J. Trębicki**	477	Modelling of random fatigue by cumulative jump processes
D. Radaj	495	Stress singularity, notch stress and structural stress at spot-welded joints
Zhong-Xin Guan, Zhi-Lin Zhang and **Xiao-Hua Yang**	507	An initial analysis of the local field in the vicinity of a stably growing crack-tip and the correspondent fracture parameters
		Technical Note
M. Perl and **J. A. Levinsohn**	525	Measurement of the actual fracture toughness of a maraging 300 pressurized cylinder using the vessel as the test specimen
	I	Software Survey Section

NUMBER 3

Dai Yao and **Hwang Keh-Chih**	531	A finite element investigation of unsteady crack growth in power-law hardening materials under small-scale yielding conditions
G. A. Schneider and **R. Danzer**	547	Calculation of the stress intensity factor of an edge crack in a finite elastic disc using the weight function method

N. O. Moraga, D. L. Jacobson and J. F. Morris	553	Fracture-resistant ultralloys for space-power systems: nuclear–thermionic-conversion implications of W,27Re
B. H. Tsao, D. L. Jacobson and J. F. Morris	567	Fracture-resistant ultralloys for space-power systems: high-temperature tensile characteristics and fractographs for W,30Re and W,30Re,1ThO_2
X. S. Zhang	579	The general solution to an infinite plate with a cruciform crack under arbitrary normal stresses
X. S. Zhang	587	A rectangular sheet with an edge crack excited by a normal anti-plane shear wave
W. Zhao, X. R. Wu and M. G. Yan	593	Weight function method for three dimensional crack problems—I. Basic formulation and application to an embedded elliptical crack in finite plates
W. Zhao, X. R. Wu and M. G. Yan	609	Weight function method for three dimensional crack problems—II. Application to surface cracks at a hole in finite thickness plates under stress gradients
S. D. Smith, J. J. Webster and T. H. Hyde	625	Finite element investigation of creep crack growth from surface thumbnail cracks
Sun Jun, Deng Zengjie, Li Zhonghua and Tu Mingjing	637	Effect of stress triaxiality in crack tip field on validity of J-dominance
Zheng-Guo Zhang and Yiu-Wing Mai	645	A simple solution for the stress intensity factor of a flat elliptical crack in a transversely isotropic solid
Xiaoping Lu and M. Comninou	649	The sinusoidal crack
D. J. Unger	657	A mathematical analysis for impending hydrogen assisted crack propagation
K. P. Chong, V. C. Li and H. H. Einstein	669	Size effects, process zone and tension softening behavior in fracture of geomaterials
C. L. Chow and T. J. Lu	679	On evolution laws of anisotropic damage
Hao Tian-Hu and Wu Yong-Chang	703	Plane problem of elastic body embedded with inhomogeneity
P. S. Theocaris	709	Elastic energies carried with Rayleigh wave fronts determined by caustics
A. J. Dentsoras and A. D. Dimarogonas	721	Fatigue crack propagation in resonating structures
Y. Hirose and T. Mura	729	Crack branching behavior in stress corrosion cracking of high strength steel
J. Tweed and G. Melrose	743	Cracks at the edge of an elliptic hole in out of plane shear

S. Q. Zhang, B. Z. Jang, B. T. Valaire and **J. C. Suhling**	749	A new criterion for composite material mixed mode fracture analysis
		Letter to the Editor
D. J. Neville	771	Comments on Kim Wallin's letter about "Statistical analysis of fracture toughness data" by D. J. Neville
		Technical Note
V. K. Srivastava	777	Effect of fibres coating on fracture properties of composite
	783	Corrigenda and Addition
	I	Software Survey Section
		NUMBER 4
J. R. Matthews, T. Betancourt and **M. Robicheau**	785	Statistical behaviour of fatigue crack growth for HY-80 steel plate and its weldments under cathodic protection in seawater and in air
Zheng-Guo Zhang and **Yiu-Wing Mai**	803	Calculation of stress intensity factors for Griffith cracks in an orthotropic elastic plate using the principle of superposition
Y. W. Kwon	815	Analysis of effects of crack closure in shells
L. A. Boström	823	The Dugdale model used for short radial cracks emanating from a circular hole in an infinite sheet
J. C. Wang and **Y. Z. Lu**	831	Cyclic analysis of propagating short cracks at notches and short-crack growth behaviour
Y. K. Cheung, C. W. Woo and **Y. H. Wang**	841	Stress intensity factors for a circular arc crack by boundary collocation method
Li Zhaoxia and **Qian Jicheng**	851	Creep damage analysis and its application to non-linear creep of reinforced concrete beam
A. Mishra, M. C. Singh and **Geeta Agnihotri**	861	Three dimensional stress analysis of a cracked plate in the presence of residual stress field
T. Fett	883	An estimation of local stress intensity factors for semi-elliptical surface cracks
Zhao Yishu	891	Experimental study on mixed mode crack propagation
Y. W. Shi	901	Critical void growth for ductile rupture of steel welds
B. Parga Landa and **F. Hernandez Olivares**	909	Computer simulation of crack propagation in composite materials
Hao Tian-Hu and **Wu Yong-Chang**	917	The exact elastic–perfectly plastic solution for the antiplane problem of a rigid line in an infinite plane
Wen-Hwa Chen and **Chenq-Shyoung Chang**	921	Analysis of two dimensional fracture problems with multiple cracks under mixed boundary conditions

K. L. Chen and **S. N. Atluri**	935	Comparison of different methods of evaluation of weight functions for 2-D mixed-mode fracture analyses
C. Y. Liao and **S. N. Atluri**	957	Stress intensity factor variation along a semicircular surface flaw in a finite-thickness plate
David J. Unger	977	A finite-width Dugdale zone model for mode III
K. Brüninghaus, J. Falk M. Twickler and **W. Dahl**	989	Determination of crack resistance curves under static and dynamic loading by analysis of load displacement relationship
		Letter to the Editor
M. Kachanov and **E. Montagut**	1001	Correction note to the paper "Interaction of a crack with certain microcrack arrays"
	1003	Corrigendum
	I	Software Survey Section

NUMBER 5/6

Zheng Xiulin and **Cui Tienxie**	1005	Life prediction of butt welds containing welding defect
Xiao Guang Ning and **Zu Han Lai**	1013	Realization of single specimen analytical method of J_{1c} determination by using compact tension loading
Y. Zhang and **X. S. Zhang**	1023	General solutions to an infinite plate weakened by a bent crack for the opening and sliding modes
Y. F. Al-Obaid	1031	The automated analysis of prestressed concrete poles for street lighting
J. X. Zhang, Y. W. Shi and **M. J. Tu**	1041	Studies on the fracture mechanics parameters of weldment with mechanical heterogeneity
F. Chirino and **J. Dominguez**	1051	Dynamic analysis of cracks using Boundary Element Method
W. Becker	1063	The problem of a Dugdale crack in a plate under normal bending
Kang Yong Lee	1069	Cyclic AE count rate and crack growth rate under low cycle fatigue fracture loading
R. Pippan, G. Haas and **H. P. Stüwe**	1075	Comparison of two methods to measure crack closure in ultra-high vacuum
S. Itou	1085	Dynamic stress intensity factors around two coplanar Griffith cracks in an orthotropic layer sandwiched between two elastic half-planes
P. S. Theocaris, N. P. Andrianopoulos and **S. K. Kourkoulis**	1097	Crack branching: a "twin-crack" model based on macroscopic energy fracture criteria

Da Yu Tzou	1109	The effects of thermal shock waves on the crack initiation around a moving heat source
R. K. Pandey	1119	Fracture toughness—microstructure investigation of hyperbarically welded joints in offshore application
Zhen-Bang Kuang, Fa-Shang Ma and **Guang-Hao Wu**	1131	The experimental and numerical studies on arrest process of a running crack
E. Smith	1139	The criterion for the unstable failure of cracked stainless steel piping subject to a combination of applied loadings
Wen Pi-Hua	1145	The solution of a displacement discontinuity for an anisotropic half-plane and its applications to fracture mechanics
E. Viola, A. Piva and **E. Radi**	1155	Crack propagation in an orthotropic medium under general loading
Shu-Jin Duan and **K. Nakagawa**	1175	A mathematical approach of fracture macromechanics for strain-softening material
J. Telesman and **L. J. Ghosn**	1183	The unusual near-threshold FCG behavior of a single crystal superalloy and the resolved shear stress as the crack driving force
F. H. Al-Sugair and **A. S. Kiremidjian**	1197	A semi-Markovian model for low-cycle elastic–plastic fatigue crack growth
C. W. Schwartz and **B. R. Bass**	1209	Crack speed relations inferred from large SEN specimens of A533B steel
Li Cheng-xi and **Li Jun**	1225	A generalized collocation method for stress analysis of cracked plates
H. Chong Rhee	1231	Fatigue crack growth analyses of offshore structural tubular joints
Fu Xiangjiong	1241	Prediction of fatigue life with an equivalent damage model
		Technical Note
X. Su and **W. N. Sharpe, Jr**	1249	The effect of location on closure measurements after overloads
	1255	Errata
	I	Software Survey Section